

KWK-LOK

TEMPORARY FASTENERS

PLIER-OPERATED TEMPORARY FASTENERS

A diversity of plier actuated clamps for precise holding of materials.

K

The K-type sheet holder clamp is the standard KWIK-LOK clamp. It is plier-actuated, springloaded and steel bodied; it is effective for most space requirements.



KK

The KK-type sheet holder clamp is designed for those space requirements which prohibit the use of the standard K-type clamp. The KK-type is a miniature clamp, with a shorter overall body and special effectiveness for more confined areas.



KL/KEL

The KL and KEL-type clamps are standard K-type clamps with an extended grip range.





KHD

The KHD clamp is designed specifically for heavier applications requiring an exended grip range not available in the standard K through KL series of sheet metal holders.



HOW TO SELECT A PART NUMBER






KT

The KT is a variation of the standard K series. It has a pilot with which to index into holes through templates or outer material thicknesses.



HOW TO DETERMINE A TEMPLATE CLAMP PART NUMBER (K-KL SERIES)





PART NO.	CROSS REFERENCE EQUIVALENT	COLOR CODE	G (grip)	D (diameter)	DRILL SIZE
K-1/16 K-3/32 K-1/8, K-5/32 K-3/16 K-7/32 K-1/4	M-1/16 M-3/32 M-1/8 M-5/32 M-3/16 M-7/32 M-1/4	black zinc copper black brass zinc copper	0 - 1/4"	1/16" 3/32" 1/8" 5/32" 3/16" 7/32" 1/4"	1/16 #40 #30 #20 #10 7/32 1/4
KK-3/32	MM-3/32	zinc	0 - 1/4"	3/32"	#40
KK-1/8	MM-1/8	copper		1/8"	#30
KK-5/32	MM-5/32	black		5/32"	#20
KK-3/16	MM-3/16	brass		3/16"	#10
KL-3/32	ML-3/32	zinc	1/4"-1/2"	3/32"	#40
KL-1/8	ML-1/8	copper		1/8"	#30
KL-5/32	ML-5/32	black		5/32"	#20
KL-3/16	ML-3/16	brass		3/16"	#10
KEL-3/32	MEL-3/32	zinc	1/2" - 3/4"	3/32"	#40
KEL-1/8	MEL-1/8	copper		1/8"	#30
KEL-5/32	MEL-5/32	black		5/32"	#20
KEL-3/16	MEL-3/16	brass		3/16"	#10
KHD-3/32	MHD-3/32	zinc	0 - 1/2"	3/32"	#40
KHD-1/8	MHD-1/8	copper		1/8"	#30
KHD-5/32	MHD-5/32	black		5/32"	#20
KHD-3/16	MHD-3/16	brass		3/16"	#10
KHD-7/32	MHD-7/32	zinc		7/32"	7/32
KHD-1/4	MHD-1/4	copper		1/4"	1/4

Special Callouts AL = Aluminum Body BO = Black Oxide




POWER OPERATED & MANUAL TEMPORARY FASTENERS Free Wheeling





HOW TO SELECT PART NUMBER



ORDERING INFORMATION Power Operated & Manual Temporary Fasteners


HEX NUT	CROSS REFERENCE				
PART NO.	EQUIVALENT	COLOR CODE	G (grip)	D (diameter)	DRILL SIZE
KHNS-FW-3/32	HNXS-SF-3/32	silver	0 - 5/16''	3/32''	#40
KHNS-FW-1/8	HNXS-SF-1/8	copper		1/8''	#30
KHNS-FW-5/32	HNXS-SF-5/32	black		5/32''	#20
KHNS-FW-3/16	HNXS-SF-3/16	brass		3/16''	#10
KHNS-FW-1/4 KHN-FW-3/32 KHN-FW-1/8 KHN-FW-5/32 KHN-FW-3/16 KHN-FW-7/32 KHN-FW-1/4	HNXS-SF-1/4 HNX-SF-3/32 HNX-SF-1/8 HNX-SF-5/32 HNX-SF-3/16 HNX-SF-7/32 HNX-SF-1/4	copper silver copper black brass silver copper	0 - 1/2"	1/4" 3/32" 1/8" 5/32" 3/16" 7/32" 1/4"	1/4 #40 #30 #20 #10 7/32 1/4
KHN-FW-5/16 KHNL-FW-3/32 KHNL-FW-5/32 KHNL-FW-3/16 KHNL-FW-7/32 KHNL-FW-1/4 KHNL-FW-5/16	HNX-SF-5/16 HNXL-SF-3/32 HNXL-SF-1/8 HNXL-SF-5/32 HNXL-SF-3/16 HNXL-SF-7/32 HNXL-SF-1/4 HNXL-SF-5/16	black silver copper black brass silver copper black	0 - 1"	5/16" 3/32" 1/8" 5/32" 3/16" 7/32" 1/4" 5/16"	5/16 #40 #30 #20 #10 7/32 1/4 5/16
KHNEL-FW-3/32	HNXEL-SF-3/32	silver	1/2 - 1 1/2"	3/32"	#40
KHNEL-FW-1/8	HNXEL-SF-1/8	copper		1/8"	#30
KHNEL-FW-5/32	HNXEL-SF-5/32	black		5/32"	#20
KHNEL-FW-3/16	HNXEL-SF-3/16	brass		3/16"	#10
KHNEL-FW-1/4	HNXEL-SF-1/4	copper		1/4"	1/4
KHNEL-FW-5/16	HNXEL-SF-5/16	black		5/16"	5/16
KHNK-FW-1/8	HNXK-SF-1/8	copper	1 1/2 - 2 1/2"	1/8"	#30
KHNK-FW-5/32	HNXK-SF-5/32	black		5/32"	#20
KHNK-FW-3/16	HNXK-SF-3/16	brass		3/16"	#10
KHNK-FW-1/4	HNXK-SF-1/4	copper		1/4"	1/4
KHNK-FW-5/16	HNXK-SF-5/16	black		5/16"	5/16
WING NUT PART NO.	CROSS REFERENCE EQUIVALENT	COLOR CODE	G (grip)	D (diameter)	DRILL SIZE
KWNS-FW-3/32	WNXS-3/32	silver	0 - 5/16′′	3/32''	#40
KWNS-FW-1/8	WNXS-1/8	copper		1/8''	#30
KWNS-FW-5/32	WNXS-5/32	black		5/32''	#20
KWNS-FW-3/16	WNXS-3/16	brass		3/16''	#10
KWNS-FW-1/4	WNXS-1/4	copper		1/4''	1/4
KWN-FW-3/32	WNX-3/32	silver	0 - 1/2"	3/32"	#40
KWN-FW-1/8	WNX-1/8	copper		1/8"	#30
KWN-FW-5/32	WNX-5/32	black		5/32"	#20
KWN-FW-3/16	WNX-3/16	brass		3/16"	#10
KWN-FW-7/32	WNX-7/32	silver		7/32"	7/32
KWN-FW-1/4	WNX-1/4	copper		1/4"	1/4
KWN-FW-5/16	WNX-5/16	black		5/16"	5/16
KWNL-FW-3/32	WNXL-3/32	silver	0 - 1"	3/32"	#40
KWNL-FW-1/8	WNXL-1/8	copper		1/8"	#30
KWNL-FW-5/32	WNXL-5/32	black		5/32"	#20
KWNL-FW-3/16	WNXL-3/16	brass		3/16"	#10
KWNL-FW-7/32	WNXL-7/32	silver		7/32"	7/32
KWNL-FW-1/4	WNXL-1/4	copper		1/4"	1/4
KWNL-FW-5/16	WNXL-5/16	black		5/16"	5/16
KWNEL-FW-3/32	WNXEL-3/32	silver	1/2 - 1 1/2''	3/32"	#40
KWNEL-FW-1/8	WNXEL-1/8	copper		1/8" .	#30
KWNEL-FW-5/32	WNXEL-5/32	black		5/32"	#20
KWNEL-FW-3/16	WNXEL-3/16	brass		3/16"	#10
KWNEL-FW-1/4	WNXEL-1/4	copper		1/4"	1/4
KWNEL-FW-5/16	WNXEL-5/16	black		5/16"	5/16
KWNK-FW-1/8	WNXK-1/8	copper	1 1/2 - 2 1/2"	1/8"	#30
KWNK-FW-5/32	WNXK-5/32	black		5/32"	#20
KWNK-FW-3/16	WNXK-3/16	brass		3/16"	#10
KWNK-FW-1/4	WNXK-1/4	copper		1/4"	1/4
KWNK-FW-5/16	WNXK-5/16	black		5/16"	5/16

Special Callouts AL = Aluminum Body BO = Black Oxide AC = Aluminum Cap C = Plastic Cap

POWER NUT RUNNER AND DRILL STOPS

POWER NUT RUNNER

PART NO. KNR2000



A simple to operate, rugged power tool for installation and removal of all power operated fasteners. Quiet, precise and made in the U.S.A.

- Heavy duty, yet light weight
- Simple to insert and remove hex nut fasteners
- Small nose piece allows easy accessibility where fasteners are close together
- Reversible motor with finger tip control for switching to reverse
- Greater torque in reverse for those difficult removals
- Air pressure 85 100 PSI
- Torque 35 in. lbs. max.
- Clamping force up to 360 lbs.
- Available with optional adjustable internal torque control

DRILL STOP ODERING INFORMATION

PART NO.	EQUIVALENT	COLOR CODE	DRILL SIZE
KDS 50 KDS 40 KDS 30 KDS 28 KDS 21 KDS 20	DS 50 DS 40 DS 30 DS 28 DS 21 DS 20	black zinc copper zinc black zinc	#50 #40 #30 #28 #21 #20
KDS 20 KDS 12 KDS 10 KDS 1/4 KDS 5/16	DS 20 DS 12 DS 10 DS 1/4 DS 5/16	brass brass copper copper	#20 #10 #10 1/4 5/16

NOTE: Other sizes available on request



KWIK-LOK manufacturers a unique multipurpose tool **DRILL STOP** designed to reduce drill bit

breakage. These drill stops have a coiled spring to cushion the drill break-through. Rounded smooth face eliminates marking and prevents the chuck jaws from marring the surface.



SIDE GRIPS AND KLAMPS




Plier operated edge klamps hold materials together where SIDE GRIPS no holes are provided. Ideal for bonding, gluing and sealants

SIDE GRIP ORDERING INFORMATION

PART NO.	EQUIVALENT	COLOR CODE	MATERIAL THICKNESS	
KSG 1/2" x 1/2"	SG 1/2" x 1/2"	Copper	0 - 1/2"	
KSG 3/4" x 1/2"	SG 3/4" x 1/2"	Brass	0 - 3/4"	
KSG 1/2" x 1"	SG 1/2" x 1"	Copper	0 - 1/2''	
KSG 3/4" x 1"	SG 3/4" x 1"	Brass	0 - 3/4''	






ANDI-KLAMPS

HANDI-KLAMP ORDERING INFORMATION

	PART NO.	EQUIVALENT	CLAMPING CAPACITY	JAW DEPTH
Zephyr Handi-Klamps are a versatile	K-1	W-1	0 - 5/16"	1"
tool for clamping a wide range	K-2	W-2	0 - 5/16"	1-1/2"
of surfaces, shapes, thicknesses and materials.				
Handi-Klamps are ideal for				





Represented By



ZEPHYR MANUFACTURING CO., INC.

201 Hindry Avenue
Inglewood, CA 90301-1519
310-410-4907 TEL • 310-410-2913 FAX
Zephyn @ zephyntool.com
Http://www.zephyntool.com



JEPHON' Is a registered tradecture of Jephone Manufacturing Co., Inc.

Secret products are designed to be soft-under proper exceening conditions. Set use that you know the proper was to use a fault before yearing with 7, discrepance and the wearing of eye protection when young or hand loss or inquiring uniquities.

Note that of macroise step that

Note that the them clean cultivated, impaint has burn fine to time and
replicits worth of demagney than The options policy of all be imple than
other by the reduction in incloses and the strings on mercit.



Zephyr Kwik-Lok Temporary Fastener Kits









ZKLS-1 ZKLS-2 ZKLS-3

Zephyr offers a selection of Kwik-Lok temporary fasteners in convenient kit form. Each kit consists of Zephyr temporary fasteners, K-200 pliers, and a carrying case.

KIT CONTENTS

- ZKLS-1: Includes pliers, two ½"x 1" edge grip clamps, one each of hole clamps in sizes 3/32", 1/8", 3/16", ¼", plastic carrying case.
- ZKLS-2: Includes pliers, ten each of hole clamps in sizes 3/32", 1/8", 5/32", 3/16", ½", plastic carrying case.
- ZKLS-3: Includes pliers, six each of side clamps in sizes ½"x1", and ¾"x1", plastic carrying case.



K-200 Kwik-Lok Pliers



Zephyr's new K-200 is the only "temporary fastener" pliers hot forged from high carbon steel and heat-treated to exacting specifications. This new process offers increased life, and significantly reduces breakage. The K-200 is designed for minimum hand-reach, with new ergonomic "soft-grip" handles. The K-200 is compatible with all Cleco-style spring-loaded temporary fasteners.

Order Part Number: K-200