

K32 FLEXIGUN®

400g HAND OPERATED GREASE GUN (K32-01)

**10 Year
Warranty**

*conditions apply

PRODUCT OVERVIEW

The K32 FLEXIGUN® is a classic grease gun that incorporates a unique variable stroke piston and valve arrangement for true 'one handed' operation.

The push in handle is easy to use and requires much less effort to operate. Increased pressure can be produced by short strokes (low volume) or high volume using a long stroke (low pressure).

Heavy duty pistol grip construction with comfortable ergonomics to suit 400g grease cartridges, bulk filling or Macnaught J3 grease transfer pump loading. The K32 FLEXIGUN® is fully repairable with a strong die cast head and heavy gauge steel barrel for extra long service life.

FEATURES & BENEFITS

Flexible 300mm (12") Extension
With KY SUPERGRIP™ coupler for positive no-leak connection

Heavy-Duty Construction
Reduces wear & facilitates effortless pressure building

Short Stroke Facility
Boosts pressure up to 68,900kPa (10,000psi)


One-Handed Operation
Easier to grease hard to reach nipples

400g Grease Cartridge Or Bulk Fill
Economical & contamination free greasing from 400g grease cartridge or bulk fill from J3 grease pump

Fully Repairable
Provides a much longer service life

Lock Plunge Rod Into Follower
For easier bleeding

Stepped Barrel
For easy grip



TECHNICAL SPECIFICATIONS

Delivery pressure up to 68,900kPa (10,000psi)
Flexible 300mm (12") high pressure extension hose
KY SUPERGRIP™ 3 jaw high pressure coupler
Up to 0.68g per shot
Wetted parts - Aluminium, steel, nitrile rubber, cork and nylon
Maximum viscosity - Up to NLGI 2
Compatible with 400g cartridges
Heavy-duty 1.6mm thick barrel

OPTIONAL ACCESSORIES

KIN - Push on grease injector needle
ACK2-02 - Complete greasing accessory kit
KZDXL - Straight needlepoint coupler
KZSNR - 90° needlepoint coupler
KDR - Right angle coupler
KSR - Standard buttonhead coupler

PACKAGE INCLUDES

K32 FLEXIGUN® 400g Grease Gun
Flexible 300mm (12") high pressure extension
KY SUPERGRIP™ 3 jaw high pressure coupler
Instruction Manual

K29 FLEXIGUN®

450g HAND OPERATED GREASE GUN (K29-01)

**10 Year
Warranty**

*conditions apply

PRODUCT OVERVIEW

The K29 FLEXIGUN® is a classic grease gun that incorporates a unique variable stroke piston and valve arrangement for true one handed operation.

The push in handle is easy to use and requires much less effort to operate. Increased pressure can be produced by short strokes (low volume) or high volume using a long stroke (low pressure).

Heavy duty pistol grip construction with comfortable ergonomics to suit 450g grease cartridges, bulk filling or Macnaught J3 grease transfer pump loading. The K29 is fully repairable with a strong die cast head and heavy gauge steel barrel for extra long service life.

FEATURES & BENEFITS

Flexible 300mm (12") Extension
With KY SUPERGRIP™ coupler for positive no-leak connection

Heavy-Duty Construction
Reduces wear & facilitates effortless pressure building

Short Stroke Facility
Boosts pressure up to 68,900kPa (10,000psi)


One-Handed Operation
Easier to grease hard to reach nipples

450g Grease Cartridge Or Bulk Fill
Economical & contamination free greasing from 450g grease cartridge or bulk fill from J3 grease pump

Fully Repairable
Provides a much longer service life

Lock Plunge Rod Into Follower
For easier bleeding

Stepped Barrel
For easy grip



TECHNICAL SPECIFICATIONS

Delivery pressure up to 68,900kPa (10,000psi)
Flexible 300mm (12") high pressure extension hose
KY SUPERGRIP™ 3 jaw high pressure coupler
Up to 0.68g per shot
Wetted parts - Aluminium, steel, nitrile rubber, cork and nylon
Maximum viscosity - Up to NLGI 2
Compatible with 450g cartridges
Heavy-duty 1.6mm thick barrel

OPTIONAL ACCESSORIES

KIN - Push on grease injector needle
ACK2-02 - Complete greasing accessory kit
KZDXL - Straight needlepoint coupler
KZSNR - 90° needlepoint coupler
KDR - Right angle coupler
KSR - Standard buttonhead coupler

PACKAGE INCLUDES

K29 FLEXIGUN® 450g Grease Gun
Flexible 300mm (12") high pressure extension
KY SUPERGRIP™ 3 jaw high pressure coupler
Instruction Manual

K40 LEVERGUN®

400g HAND OPERATED GREASE GUN (K40-01)

**10 Year
Warranty**

*conditions apply

PRODUCT OVERVIEW

The K40 LEVERGUN® is a lever-action grease gun designed for high pressure/high volume greasing and can easily clear blocked or damaged grease nipples.

The K40 features a durable die cast aluminium head, a heavy gauge steel barrel and a heavy duty follower assembly to handle a wide range of grease viscosities up to NLGI No 2.

Comes complete with 150mm (6") rigid high pressure extension and KY SUPERGRIP™ coupler.

Suits 400g grease cartridges, bulk filling or Macnaught J3 transfer pump loading.

FEATURES & BENEFITS

Rigid 150mm (6") Extension
With KY SUPERGRIP™ coupler for positive no-leak connection

High Volume Output
Delivers up to 1.5g grease per shot

Fully Repairable
Provides a much longer service life

400g Grease Cartridge Or Bulk Fill
Economical & contamination free greasing from 400g grease cartridge or bulk fill from J3 grease pump

Lock Plunge Rod Into Follower
For easier bleeding

Heavy-Duty Construction
Reduces wear & facilitates effortless pressure building

High Pressure Output
Long lever handle boosts pressure up to 82,750kPa (12,000psi) to clear blocked grease nipples

Stepped Barrel
For easy grip



TECHNICAL SPECIFICATIONS

Delivery pressure up to 82,750kPa (12,000psi)
Rigid 150mm(6") high pressure extension hose
KY SUPERGRIP™ 3 jaw high pressure coupler
Up to 1.5g per shot
Wetted parts - Aluminium, steel, nitrile rubber, cork and nylon
Maximum viscosity - Up to NLGI 2
Compatible with 400g cartridges
Heavy-duty 1.6mm thick barrel

OPTIONAL ACCESSORIES

KIN - Push on grease injector needle
ACK2-02 - Complete greasing accessory kit
KZDXL - Straight needlepoint coupler
KZSNR - 90° needlepoint coupler
KDR - Right angle coupler
KSR - Standard buttonhead coupler

PACKAGE INCLUDES

K40 LEVERGUN® 400g Grease Gun
Rigid 150mm(6") high pressure extension hose
KY SUPERGRIP™ 3 jaw high pressure coupler
Instruction Manual

K53 POWERPISTOL[®]

450g AIR-POWERED GREASE GUN (K53-01)

**10 Year
Warranty**

*conditions apply

PRODUCT OVERVIEW

The K53 POWERPISTOL™ is an air-powered single shot grease gun that combines portability with effortless one handed operation.

Low air consumption makes the K53POWERPISTOL™ ideal for use with truck and bus brake system air supply. Air powered requires much less effort to operate.

Heavy duty pistol grip construction with comfortable ergonomics to suit 450g grease cartridges, bulk filling or Macnaught J3 grease transfer pump loading.

The K53 POWERPISTOL™ is fully repairable with a strong die cast head and heavy gauge steel barrel for extra long service life.

FEATURES & BENEFITS

Flexible 300mm (12") Extension
With KY SUPERGRIP™ coupler for positive no-leak connection

Fully Repairable
Provides a much longer service life

Single Shot Per Trigger Pull
Delivers up to 0.7g per shot

Pistol Grip & Air Powered
For easy one handed operation


Lock Plunge Rod Into Follower
For easier bleeding

Heavy-Duty Construction
Reduces wear & facilitates effortless pressure building

Low Air Consumption
Use with truck & bus brake system air supply

450g Grease Cartridge Or Bulk Fill
Economical & contamination free greasing from 450g grease cartridge or bulk fill from J3 grease pump

Stepped Barrel
For easy grip



TECHNICAL SPECIFICATIONS

Delivery pressure up to 41,400 kPa (6,000psi)

Single shot per trigger pull (up to 0.7g per shot)

Min/Max air pressure: 275kPa (40psi)/830kPa (120psi)

Min compressor size: 0.026 M3/MIN (1 cfm)

1/4" BSP air inlet

Heavy-duty 1.6mm thick barrel

Maximum viscosity - Up to NLGI 2

Compatible with 450g grease cartridges

OPTIONAL ACCESSORIES

KIN - Push on grease injector needle

ACK2-02 - Complete greasing accessory kit

KZDXL - Straight needlepoint coupler

KZSNR - 90° needlepoint coupler

KDR - Right angle coupler

KSR - Standard buttonhead coupler

PACKAGE INCLUDES

K53 POWERPISTOL™ 450g Grease Gun

Flexible 300mm (12") high pressure extension

KY SUPERGRIP™ 3 jaw high pressure coupler

Instruction Manual

DUAL ACTION AIR OPERATED GREASE GUNS



New to Macnaught are the Air Operated Dual Action Grease Guns, which come complete with a 750mm flexible extension and KY grease coupler. The high quality and heavy duty construction, allows you to easily switch between continuous grease flow operation or a single shot, whatever your requirement.

P/N: K57-01 (450g)

P/N: K58-01 (400g)



Macnaught heavy duty stepped grease barrel with lockable plunger

Durable Aluminium die cast head with precision honed internal bore

Switch between continuous grease flow operation and on demand single shot

High Pressure 750mm long grease hose with KY coupler

Bulk loader that doubles as an air bleeder

Ergonomic pistol grip design for balance and ease of use

TECHNICAL SPECIFICATION

P/N: K57-01

Grease Capacity: 450g

Ratio: 45:1

Output Pressure: Up to 6000psi

Continous Delivery: Up to 400g/m

On Demand Single Shot: 0.9g

Air Inlet Pressure Range: 40 - 120psi

Air Inlet: 1/4" F

TECHNICAL SPECIFICATION

P/N: K58-01

Grease Capacity: 400g

Ratio: 45:1

Output Pressure: Up to 6000psi

Continous Delivery: Up to 400g/m

On Demand Single Shot: 0.9g

Air Inlet Pressure Range: 40 - 120psi

Air Inlet: 1/4" F

PACKAGE INCLUDES

Grease Gun

Instruction Manual

NOW GET
3X
MORE
RUNTIME*

18V Lithium-Ion battery
Lightweight, long life for
continuous pumping

SUPERGRIP™ Coupler
Leak free connection



LED light
To light dark areas and
locate grease ripples

Ergonomic design
With stable free-stand capability

Spring loaded bleeder valve
To simplify new cartridge bleeding

POWERGUN™ HIGH PERFORMANCE LI-ION GREASE GUN PG450

2
YEARS
MACNAUGHT
WARRANTY*

The POWERGUN™ 18V Li-Ion battery powered grease gun built with the demanding Australian conditions in mind.

This powerful heavy duty grease gun is portable, durable and can move grease quickly or at high pressure via the high/low volume valve. Fitted with an illumination LED, a 1m flexible grease hose and Macnaught's legendary SUPERGRIP™ high pressure grease coupler, even the most difficult to locate and access grease points are within reach.

The POWERGUN™ includes a smart carry case with a spare 18V Li-Ion battery for added longevity and portability and a 1 hour fast charger for continuous operation.

TECHNICAL SPECIFICATIONS

- 18V Li-Ion battery technology
- Switchable for High Volume or High Pressure
- Flexible grease hose fitted with SUPERGRIP™ high pressure grease coupler
- 1 hour quick charger
- Max pressure: 8500psi
- 450g cartridge or bulk fill
- 2 x 3,000mAh Li-Ion batteries
- Maximum viscosity: Up to NLGI 2
- Wetted parts: aluminium, mild steel, nitrile rubber

REPAIR KITS

- **K27-2K:** Follower Kit
- **PGC:** PG450 Spare Battery Charger
- **PGB:** PG450 Spare Battery

*Note: Subject to Macnaught warranty terms and conditions see <http://www.macnaught.com.au/warranty>

K7 MINILUBE® + 5kg container

PORTABLE GREASING SYSTEM (K7-67)

10 Year Warranty

*conditions apply

PRODUCT OVERVIEW


The K7 MINILUBE® Portable High Pressure Manual Greasing System provides high-volume/high-pressure greasing in a compact and portable package.

It consists of two main components, a foot operated spring-loaded pump, that dispenses grease from the container to the hose and gun and a patented high pressure/high volume KR pressurite™ gun.

When the gun is set on the “high volume” position the gun will deliver up to 5,000 psi and when set on the “high pressure” setting the gun will deliver a lower volume of grease, but at higher pressures (up to 10,000 psi).

The K7 is an economical alternative to the more expensive air-operated greasing systems.

FEATURES & BENEFITS



TECHNICAL SPECIFICATIONS

1.5m x 12.5mm ID delivery hose
Compatible with 2.5kg grease containers or bulk fill via J3 Transfer Pump
Grease viscosity up to NLGI 2
High volume setting: Up to 34,450kPa (5,000psi), 1.25g per shot
High pressure setting: Up to 68,900kPa (10,000psi), 0.45g per shot
Delivers up to 30 shots of grease per prime
K7-24 includes 2.5kg container
K7-67 includes 5kg container

OPTIONAL ACCESSORIES

PACKAGE INCLUDES

K7 MINILUBE® Portable Greasing system
5kg grease container
KR PRESSURITE gun
1.5m Flexible delivery hose
Lid & rubber edged follower plate
KY SUPERGRIP™ coupler
Instruction manual

ACK2 Aviation Kit

Accessories typically required when lubricating aircraft. Items included are a KDN, KDS, KDE8, KDF21, KY, KZDXL, KZHY, KZLNJ, KZLNS, KZLNR, KZLN45, KZSNR and J65.



KZLNS Needlepoint coupler 300mm straight - KZLNS



KDE8 Greasing extension 8" - KDE8



KDF13 Flexible greasing extension 13" - KDF13

KDF21 flexible greasing extension 21" - KDF21



KZDXL Straight needlepoint coupler 110mm - KZDXL



KZSNR Needlepoint coupler 110mm 90° - KZSNR



KZHY Hypodermic needlepoint coupler - KZHY



KZLN45 Needlepoint coupler 300mm 45° - KZLN45



KZLNJ Needlepoint coupler 300mm J bend - KZLNJ



KZLNR Needlepoint coupler 300mm 90° - KZLNR



KDN right angle needle point coupler - KDN



KDS Right angle coupler - KDS



KDR Right angle coupler - KDR

